

*Data Set Name: trauma\_epistry.sas7bdat*

Num	Variable	Type	Len	Format	Informat	Label
1	DID	Num	8	BEST12.	BEST32.	Random Case ID
2	TRTX2	Num	8	BEST12.	BEST32.	Traumatic inj: meets phys criteria/dead
3	DPINSR	Num	8	BEST12.	BEST32.	Episode Time Source
4	SBPL90	Num	8	BEST12.	BEST32.	Traumatic inj: SBP <= 90mmHg
5	RRLOHI	Num	8	BEST12.	BEST32.	Traumatic inj: Resp rate < 10 or > 29
6	INTUBE	Num	8	BEST12.	BEST32.	Traumatic inj: Advanced airway
7	GCSL12	Num	8	BEST12.	BEST32.	Traumatic inj: GCS <= 12
8	TRMULP	Num	8	BEST12.	BEST32.	N of patients on scene incl current
9	RIG1NP	Num	8	BEST12.	BEST32.	EMS Rig 1 Number of Personnel
10	RIG1SL	Num	8	BEST12.	BEST32.	EMS Rig 1 Service Level
11	ARTM1SR	Num	8	BEST12.	BEST32.	Rig 1 Arrival Time Source
12	RIG2NP	Num	8	BEST12.	BEST32.	EMS Rig 2 Number of Personnel
13	RIG2SL	Num	8	BEST12.	BEST32.	EMS Rig 2 Service Level
14	RIG2TM	Num	8	BEST12.	BEST32.	Elapsed time (min) from dispatch call to 2nd EMS rig arrival
15	ARTM2SR	Num	8	BEST12.	BEST32.	Rig 2 Arrival Time Source
16	RIG3NP	Num	8	BEST12.	BEST32.	EMS Rig 3 Number of Personnel
17	RIG3SL	Num	8	BEST12.	BEST32.	EMS Rig 3 Service Level
18	RIG3TM	Num	8	BEST12.	BEST32.	Elapsed time (min) from dispatch call to 3rd EMS rig arrival
19	ARTM3SR	Num	8	BEST12.	BEST32.	Rig 3 Arrival Time Source
20	RIG4NP	Num	8	BEST12.	BEST32.	EMS Rig 4 Number of Personnel
21	RIG4SL	Num	8	BEST12.	BEST32.	EMS Rig 4 Service Level
22	RIG4TM	Num	8	BEST12.	BEST32.	Elapsed time (min) from dispatch call to 4th EMS rig arrival
23	ARTM4SR	Num	8	BEST12.	BEST32.	Rig 4 Arrival Time Source
24	ORD911	Num	8	BEST12.	BEST32.	Event order: 1st 911 call received at primary PSAP
25	E911TM	Num	8	BEST12.	BEST32.	Elapsed time (min) from dispatch call to 1st 911 call received at primary PSAP
26	SRC911	Num	8	BEST12.	BEST32.	Time Source: 1st 911 call received at primary PSAP
27	NDT911	Num	8	BEST12.	BEST32.	No documented time: 1st 911 call received at primary PSAP
28	ORDRCV	Num	8	BEST12.	BEST32.	Event order: 1st 911 call received at dispatch
29	ERCVTM	Num	8	BEST12.	BEST32.	Time category of 1st 911 call received at dispatch
30	SRCRCV	Num	8	BEST12.	BEST32.	Time Source: 1st 911 call received at dispatch
31	NDTRCV	Num	8	BEST12.	BEST32.	No documented time: 1st 911 call received at dispatch
32	ORDDSP	Num	8	BEST12.	BEST32.	Event order: 1st vehicle dispatch
33	EDSPTM	Num	8	BEST12.	BEST32.	Elapsed time (min) from dispatch call to 1st vehicle dispatch
34	SRCDSP	Num	8	BEST12.	BEST32.	Time Source: 1st vehicle dispatch
35	NDTDSP	Num	8	BEST12.	BEST32.	No documented time: 1st vehicle dispatch
36	ORDARR	Num	8	BEST12.	BEST32.	Event order: 1st vehicle arrival at scene
37	EARRTM	Num	8	BEST12.	BEST32.	Elapsed time (min) from dispatch call to 1st vehicle arrival

Num	Variable	Type	Len	Format	Informat	Label
38	SRCARR	Num	8	BEST12.	BEST32.	Time Source: 1st vehicle arrival at scene
39	NDTARR	Num	8	BEST12.	BEST32.	No documented time: 1st vehicle arrival at scene
40	ORDALS	Num	8	BEST12.	BEST32.	Event order: 1st ALS arrival at scene
41	EALSTM	Num	8	BEST12.	BEST32.	Elapsed time (min) from dispatch call to 1st ALS arrival at scene
42	SRCALS	Num	8	BEST12.	BEST32.	Time Source: 1st ALS arrival at scene
43	NDTALS	Num	8	BEST12.	BEST32.	No documented time: 1st ALS arrival at scene
44	ORDAER	Num	8	BEST12.	BEST32.	Event order: Xfer to aero-medical
45	EAERTM	Num	8	BEST12.	BEST32.	Elapsed time (min) from dispatch call to 1st Xfer to aero-medical
46	SRCAER	Num	8	BEST12.	BEST32.	Time Source: Xfer to aero-medical
47	NDTAER	Num	8	BEST12.	BEST32.	No documented time: Xfer to aero-mdeical
48	ORDTRM	Num	8	BEST12.	BEST32.	Event order: Resuscitation stopped due to death
49	ETRM TM	Num	8	BEST12.	BEST32.	Elapsed time (min) from dispatch call to resuscitation stopped due to death
50	SRCTRM	Num	8	BEST12.	BEST32.	Time Source: Resuscitation stopped due to death
51	NDTTRM	Num	8	BEST12.	BEST32.	No documented time: Resuscitation stopped due to death
52	ORDLFT	Num	8	BEST12.	BEST32.	Event order: Patient transported from scene
53	ELFTTM	Num	8	BEST12.	BEST32.	Elapsed time (min) from dispatch call to patient transported from scene
54	SRCLFT	Num	8	BEST12.	BEST32.	Time Source: Patient transported from scene
55	NDTLFT	Num	8	BEST12.	BEST32.	No documented time: Patient transported from scene
56	ORDEDA	Num	8	BEST12.	BEST32.	Event order: Fire/EMS destination arrival
57	EEDATM	Num	8	BEST12.	BEST32.	Elapsed time (min) from dispatch call to fire/EMS destination arrival
58	SRCEDA	Num	8	BEST12.	BEST32.	Time Source: Fire/EMS destination arrival
59	NDTEDA	Num	8	BEST12.	BEST32.	No documented time: Fire/EMS destination arrival
60	LOCPUB	Num	8	BEST12.	BEST32.	Episode Location public/non-public
61	LOCTYP	Num	8	BEST12.	BEST32.	Episode Location public/non-public type
62	AGEP	Char	5	\$5.	\$5.	Pre-hospital age
63	AGESRP	Num	8	BEST12.	BEST32.	Pre-hospital age Source
64	AGECAT	Num	8	BEST12.	BEST32.	Pre-hospital age Category (if continuous age not entered)
65	SEXP	Num	8	BEST12.	BEST32.	Pre-hospital gender/Sex
66	HISPP	Num	8	BEST12.	BEST32.	Pre-hospital race/ethnicity: Hispanic or Latino
67	WHITEP	Num	8	BEST12.	BEST32.	Pre-hospital race/ethnicity: White/Caucasian
68	BLACKP	Num	8	BEST12.	BEST32.	Pre-hospital race/ethnicity: African-American/Black
69	ASIANP	Num	8	BEST12.	BEST32.	Pre-hospital race/ethnicity: Asian
70	OTHRCP	Num	8	BEST12.	BEST32.	Pre-hospital race/ethnicity: Other
71	UNKRCP	Num	8	BEST12.	BEST32.	Pre-hospital race/ethnicity: Unknown/not noted
72	PNOINT	Num	8	BEST12.	BEST32.	No EMS Prehospital interventions from the list below were recorded
73	PBAG2	Num	8	BEST12.	BEST32.	Prehosp airway -- bag-mask
74	PADAIR2	Num	8	BEST12.	BEST32.	Prehosp airway -- advanced
75	PSGA	Num	8	BEST12.	BEST32.	Prehosp Combitube/LMA/EOA/oth SGA
76	PETTO	Num	8	BEST12.	BEST32.	Prehosp oral ET attempted

Num	Variable	Type	Len	Format	Informat	Label
77	PETTN	Num	8	BEST12.	BEST32.	Prehosp nasal ET attempted
78	PCPAP	Num	8	BEST12.	BEST32.	Prehosp CPAP attempted
79	OTHADAIR	Num	8	BEST12.	BEST32.	Prehosp other advanced airway
80	PRSI	Num	8	BEST12.	BEST32.	Prehosp RSI
81	PCPR2	Num	8	BEST12.	BEST32.	Prehosp CPR
82	PHEMTX2	Num	8	BEST12.	BEST32.	Prehosp Hemorrhage control
83	PFLUID2	Num	8	BEST12.	BEST32.	Prehosp IV/IO line
84	PIO	Num	8	BEST12.	BEST32.	Prehosp IO attempted
85	PIV	Num	8	BEST12.	BEST32.	Prehosp IV init/cont
86	PFLDLV	Num	8	BEST12.	BEST32.	Prehosp fluid given via IV/IO
87	PNS	Num	8	BEST12.	BEST32.	Prehosp Normal Saline given
88	PLR	Num	8	BEST12.	BEST32.	Prehosp Lactated Ringers given
89	POTHFL	Num	8	BEST12.	BEST32.	Prehosp other fluid given
90	PMON2	Num	8	BEST12.	BEST32.	Prehosp Monitor -- advanced
91	PECG	Num	8	BEST12.	BEST32.	Prehosp Monitor: 12-lead attempted
92	PETCO2	Num	8	BEST12.	BEST32.	Prehosp Monitor: EtCO2 attempted
93	PPACE	Num	8	BEST12.	BEST32.	Prehosp Monitor: Pacing attempted
94	PDISP	Num	8	BEST12.	BEST32.	Prehospital patient disposition
95	PEMSTX	Num	8	BEST12.	BEST32.	Died at scene/enroute: EMS tx
96	PYHALT	Num	8	BEST12.	BEST32.	Died w/EMS tx: why Tx halted
97	PYNOTX	Num	8	BEST12.	BEST32.	Died: why no EMS Tx
98	PTRANS	Num	8	BEST12.	BEST32.	Type of transport ED/hospital
99	P1VSA	Num	8	BEST12.	BEST32.	1st prehosp VS: Pt in traum arrest or VS
100	P1GCSR	Num	8	BEST12.	BEST32.	1st prehosp VS: GCS done
101	P1GCSE	Num	8	BEST12.	BEST32.	1st prehosp VS: GCS Eye score
102	P1GCSV	Num	8	BEST12.	BEST32.	1st prehosp VS: GCS Verbal score
103	P1GCSM	Num	8	BEST12.	BEST32.	1st prehosp VS: GCS Motor score
104	P1GCST	Num	8	BEST12.	BEST32.	1st prehosp VS: Total GCS Score
105	PIINTB	Num	8	BEST12.	BEST32.	1st prehosp VS:adv airway @ GCS
106	PIPARA	Num	8	BEST12.	BEST32.	1st prehosp VS: pt chem paral or sedated
107	P1BPR	Num	8	BEST12.	BEST32.	1st prehosp VS: SBP/DBP done
108	P1SBP	Num	8	BEST12.	BEST32.	1st prehosp VS: SBP value
109	P1DBP	Num	8	BEST12.	BEST32.	1st prehosp VS: DBP value
110	P1BPND	Num	8	BEST12.	BEST32.	1st prehosp VS: SBP Not Detectable
111	P1RSPR	Num	8	BEST12.	BEST32.	1st prehosp VS: Resp rate done
112	P1RSP	Num	8	BEST12.	BEST32.	1st prehosp VS: Resp rate
113	P1HRR	Num	8	BEST12.	BEST32.	1st prehosp VS: Pulse done
114	P1HR	Num	8	BEST12.	BEST32.	1st prehosp VS: Pulse rate
115	P1O2R	Num	8	BEST12.	BEST32.	1st prehosp VS: SpO2 done

Num	Variable	Type	Len	Format	Informat	Label
116	P1O2	Num	8	BEST12.	BEST32.	1st prehosp VS: SpO2 value
117	P1SOXY	Num	8	BEST12.	BEST32.	1st prehosp VS: SpO2 : Supp O2
118	P2VSA	Num	8	BEST12.	BEST32.	2nd prehosp VS: Pt in traum arrest or VS
119	P2GCSR	Num	8	BEST12.	BEST32.	2nd prehosp VS: GCS done
120	P2GCSE	Num	8	BEST12.	BEST32.	2nd prehosp VS: GCS Eye score
121	P2GCSV	Num	8	BEST12.	BEST32.	2nd prehosp VS: GCS Verbal score
122	P2GCSM	Num	8	BEST12.	BEST32.	2nd prehosp VS: GCS Motor score
123	P2GCST	Num	8	BEST12.	BEST32.	2nd prehosp VS: Total GCS Score
124	P2INTB	Num	8	BEST12.	BEST32.	2nd prehosp VS:adv airway @ GCS
125	P2PARA	Num	8	BEST12.	BEST32.	2nd prehosp VS: pt chem paral/sedated @
126	P2BPR	Num	8	BEST12.	BEST32.	2nd prehosp VS: SBP/DBP done
127	P2SBP	Num	8	BEST12.	BEST32.	2nd prehosp VS: SBP value
128	P2DBP	Num	8	BEST12.	BEST32.	2nd prehosp VS: DBP value
129	P2BPND	Num	8	BEST12.	BEST32.	2nd prehosp VS: SBP Not Detectable
130	P2RSPR	Num	8	BEST12.	BEST32.	2nd prehosp VS: Resp rate done
131	P2RSP	Num	8	BEST12.	BEST32.	2nd prehosp VS: Resp rate
132	P2HRR	Num	8	BEST12.	BEST32.	2nd prehosp VS: Pulse done
133	P2HR	Num	8	BEST12.	BEST32.	2nd prehosp VS: Pulse rate
134	P2O2R	Num	8	BEST12.	BEST32.	2nd prehosp VS: SpO2 done
135	P2O2	Num	8	BEST12.	BEST32.	2nd prehosp VS: SpO2 value
136	P2SOXY	Num	8	BEST12.	BEST32.	2nd prehosp VS: SpO2 : Supp O2
137	PWVSA	Num	8	BEST12.	BEST32.	Worst prehops VS: Pt in traum arrest/VSA
138	PWGCSR	Num	8	BEST12.	BEST32.	Worst prehosp VS: GCS done
139	PWGCE	Num	8	BEST12.	BEST32.	Worst prehosp VS: GCS Eye score
140	PWGCSV	Num	8	BEST12.	BEST32.	Worst prehosp VS: GCS Verbal score
141	PWGCSM	Num	8	BEST12.	BEST32.	Worst prehosp VS: GCS Motor score
142	PWGCST	Num	8	BEST12.	BEST32.	Worst prehosp VS: Total GCS Score
143	PWINTB	Num	8	BEST12.	BEST32.	Worst prehosp VS:adv airway @ GCS
144	PWPARA	Num	8	BEST12.	BEST32.	Worst prehosp VS: pt chem paral/sedated
145	PWBPR	Num	8	BEST12.	BEST32.	Worst prehosp VS: lowest SBP done
146	PWSBP	Num	8	BEST12.	BEST32.	Worst prehosp VS: lowest SBP value
147	PWDBP	Num	8	BEST12.	BEST32.	Worst prehosp VS: DBP @ lowest SBP
148	PWBPND	Num	8	BEST12.	BEST32.	Worst prehosp VS: SBP Not Detectable
149	PWHRSR	Num	8	BEST12.	BEST32.	Worst prehosp VS: highest Resp done
150	PWHRSP	Num	8	BEST12.	BEST32.	Worst prehosp VS: highest Resp rate
151	PWLRSR	Num	8	BEST12.	BEST32.	Worst prehosp VS: lowest Resp done
152	PWLRSP	Num	8	BEST12.	BEST32.	Worst prehosp VS: lowest Resp rate
153	PWHHR	Num	8	BEST12.	BEST32.	Worst prehosp VS: highest Pulse done
154	PWHHR	Num	8	BEST12.	BEST32.	Worst prehosp VS: highest Pulse rate

Num	Variable	Type	Len	Format	Informat	Label
155	PWLHRR	Num	8	BEST12.	BEST32.	Worst prehosp VS: lowest Pulse done
156	PWLHR	Num	8	BEST12.	BEST32.	Worst prehosp VS: lowest Pulse rate
157	PWO2R	Num	8	BEST12.	BEST32.	Worst prehosp VS: lowest SPO2 done
158	PWO2	Num	8	BEST12.	BEST32.	Worst prehosp VS: lowest SPO2 value
159	PWSOXY	Num	8	BEST12.	BEST32.	Worst prehosp VS: Lowest SpO2: Supp O2
160	INJTYP	Num	8	BEST12.	BEST32.	Injury characteristics: type
161	INMECH2	Num	8	BEST12.	BEST32.	Injury characteristics: mechanism
162	RSTRNT	Num	8	BEST12.	BEST32.	Restraint use
163	AIRBAG	Num	8	BEST12.	BEST32.	Air bag deployment
164	HELMET	Num	8	BEST12.	BEST32.	Helmet
165	NOSFTY	Num	8	BEST12.	BEST32.	No safety equipment
166	UNKSFT	Num	8	BEST12.	BEST32.	Safety equipment unknown
167	NASFTY	Num	8	BEST12.	BEST32.	Safety equipment not applic
168	OTHSFT	Num	8	BEST12.	BEST32.	Other safety equipment
169	CTHLAB	Num	8	BEST12.	BEST32.	ED/Hospital has a Cath lab
170	EPLAB	Num	8	BEST12.	BEST32.	ED/Hospital has a EPI lab
171	TRLEVL	Num	8	BEST12.	BEST32.	ED/Hospital trauma level
172	PTXFER	Num	8	BEST12.	BEST32.	Patient transfer to another acute care hospital
173	SURV	Num	8	BEST12.	BEST32.	Final vital status from ED/Hospital
174	SURVTIME	Num	8	BEST12.	BEST32.	Elapsed number of days from ED Arrival/Hospital Admit to discharge or death
175	DTHXH	Num	8	BEST12.	BEST32.	VS = Dead: 1st ED/hosp or after xfer
176	SURVXH	Num	8	BEST12.	BEST32.	VS = Alive: d/c or non-acute pt