

Data Set Name: ae.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	22	BODY_SYS	Char	7	401			Derived AE body system variable (based o
2	14	CAUSFM	Num	8	72	BEST12.	BEST32.	Causal relationship to fluid management
3	13	CAUSPAC	Num	8	64	BEST12.	BEST32.	Causal relationship to PAC/CVC
4	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
5	8	DESC1	Char	200	199	\$143.	\$143.	Describe event or problem
6	21	ENDDATE	Num	8	112	5.	MMDDYY10.	End Date
7	6	EVTIME	Num	8	24	TIME5.		Time of event
8	12	EXPECT	Num	8	56	BEST12.	BEST32.	Was the event unexpected or more severe
9	20	FOUTCOME	Num	8	104	BEST12.	BEST32.	Final outcome of this adverse event (unt
10	18	OUTCOME	Num	8	88	BEST12.	BEST32.	Status of this adverse event at the time
11	1	PROTOCOL	Char	9	120	\$9.	\$9.	Protocol [Study] name
12	2	PTID	Char	20	129			Subject Number
13	19	RECDT	Num	8	96	5.	MMDDYY10.	Date of recovery
14	11	RISKDE	Num	8	48	BEST12.	BEST32.	Was the patient in immediate risk of dea
15	9	SEVER	Num	8	32	BEST12.	BEST32.	Severity of event
16	7	SPEVNT	Char	50	149	\$50.	\$50.	Name of event
17	5	STARTDAT	Num	8	16	5.	MMDDYY10.	Start Date
18	10	THERA	Num	8	40	BEST12.	BEST32.	Did AE require therapeutic intervention
19	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name
20	15	WDRAW	Num	8	80	BEST12.	BEST32.	Was patient withdrawn from the study bec
21	16	WDRAW1A	Char	1	399			PAC vs CVC Trial
22	17	WDRAW1B	Char	1	400			Fluid Management Algorithm

Data Set Name: ali_scre.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	15	AGE	Num	8	96	BEST12.	BEST32.	Age
2	62	ALVEOLI	Char	9	398			If patient was screened for ALVEOLI, ple
3	50	ASPIR	Num	8	144	BEST12.	BEST32.	Aspiration
4	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
5	58	DISCH	Num	8	200	5.	BEST32.	If Yes, date of discharge from study hos
6	57	DISCH90	Num	8	192	BEST12.	BEST32.	Was patient discharged from study hospit
7	59	DISSTAT	Num	8	208	BEST12.	BEST32.	Status at discharge from study hospital
8	14	ETHNIC	Num	8	88	BEST12.	BEST32.	Ethnicity
9	12	FDATE	Num	8	72	5.		First date criteria exist
10	11	FIO2	Num	8	64	BEST12.	BEST32.	FiO2
11	13	GENDER	Num	8	80	BEST12.	BEST32.	Gender
12	54	INFSITE	Num	8	168	BEST12.	BEST32.	Site of infection
13	16	LOCAT	Num	8	104	BEST12.	BEST32.	Location
14	17	LOCATTXT	Char	10	245			Other Location
15	41	MDNO1	Char	1	326			Unwilling to withhold PAC
16	42	MDNO2	Char	1	327			Unwilling to place PAC
17	43	MDNO3	Char	1	328			Unwilling to use ventilator protocol
18	44	MDNO4	Char	1	329			Unwilling to use fluid management algori
19	45	MDNO5	Char	1	330			Other
20	46	MDNO5TXT	Char	50	331			Other Specify
21	49	MULTRAN	Num	8	136	BEST12.	BEST32.	Multiple Transfusion
22	40	NOTEXEN	Char	50	276			Not excluded, not enrolled, explain
23	52	OTHER	Num	8	160	BEST12.	BEST32.	Other Lung Injury Category
24	53	OTHTXT	Char	15	381			Lung injury category
25	10	PAO2	Num	8	56	BEST12.	BEST32.	PaO2
26	51	PNEUM	Num	8	152	BEST12.	BEST32.	Pneumonia
27	1	PROTOCOL	Char	9	216	\$9.	\$9.	Protocol [Study] name
28	2	PTID	Char	20	225			Subject Number
29	7	QCXRDT	Num	8	32	5.	MMDDYY10.	Date of Qualifying CXR
30	8	QCXRMT	Num	8	40	TIME5.		Time of Qualifying CXR
31	19	REASON0	Char	1	255			Not excluded
32	20	REASON1	Char	1	256			No central access
33	21	REASON2	Char	1	257			No MD intent to place central access

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	22	REASON3	Char	1	258			Presence of a PAC since ALI
35	23	REASON4	Char	1	259			>= 48 hours since ALI onset
36	24	REASON5	Char	1	260			Patient <13 years
37	25	REASON6	Char	1	261			Burns >=40%
38	26	REASON7	Char	1	262			Not committed to full support
39	27	REASON8	Char	1	263			Bone Marrow Transplant
40	28	REASON9	Char	1	264			Acute Myocardial Infarction last 30 days
41	29	REASON10	Char	1	265			Chronic Lung Injury
42	30	REASON11	Char	1	266			Neuromuscular Disease (e.g. C5 spinal in
43	31	REASON12	Char	1	267			Morbid Obesity
44	32	REASON13	Char	1	268			Estimated 6 month mortality >50%
45	33	REASON14	Char	1	269			Vasculitis/hemorrhage
46	34	REASON15	Char	1	270			MD refuses
47	35	REASON16	Char	1	271			Patient/Family Refuses
48	36	REASON17	Char	1	272			Patient Unable/Surrogate Unable
49	37	REASON18	Char	1	273			Patient pregnant
50	38	REASON19	Char	1	274			Renal Failure
51	39	REASON20	Char	1	275			Chronic Liver Disease
52	60	REASON21	Char	1	396			Lasix (Furosimide) Allergy
53	61	REASON22	Char	1	397			Lung Transplant
54	18	RSICU	Num	8	112	BEST12.	BEST32.	Regularly Screened ICU
55	5	SCRE1	Num	8	16	BEST12.	BEST32.	Acute Onset
56	6	SCRE2	Num	8	24	BEST12.	BEST32.	Within past 24 hrs patient had ALL of th
57	9	SCRE3	Num	8	48	BEST12.	BEST32.	No clinical evidence of left atrial hype
58	48	SEPSIS	Num	8	128	BEST12.	BEST32.	Sepsis
59	55	SUST60	Num	8	176	BEST12.	BEST32.	Patient able to sustain a period of cont
60	47	TRAUMA	Num	8	120	BEST12.	BEST32.	Trauma
61	56	UNASSIS	Num	8	184	5.	BEST32.	If yes, enter the first calendar date of
62	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: apache.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Label
1	2	APACHE	Num	8	0	
2	1	PTID	Char	20	8	Subject Number

Data Set Name: apache_a.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
2	5	FIO2	Num	8	16	BEST12.	BEST32.	FiO2
3	9	INTUBAT	Num	8	48	BEST12.	BEST32.	Intubated when ABG obtained
4	7	PACO2	Num	8	32	BEST12.	BEST32.	PaCO2
5	6	PAO2	Num	8	24	BEST12.	BEST32.	PaO2
6	8	PH	Num	8	40	BEST12.	BEST32.	pH
7	1	PROTOCOL	Char	9	56	\$9.	\$9.	Protocol [Study] name
8	2	PTID	Char	20	65			Subject Number
9	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: apache_d.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	9	ADMFRM	Num	8	48	BEST12.	BEST32.	Patient Admitted Directly From
2	6	ADMTYPE	Num	8	24	BEST12.	BEST32.	Hospital Admission Type
3	15	AIDS	Num	8	96	BEST12.	BEST32.	AIDS (do not include HIV positive withou
4	34	ARTHRIT	Num	8	240	BEST12.	BEST32.	Arthritis
5	13	CHRNC	Num	8	80	BEST12.	BEST32.	Is chronic health information available?
6	33	CHRPULM	Num	8	232	BEST12.	BEST32.	Chronic pulmonary disease
7	21	CIRR	Num	8	144	BEST12.	BEST32.	Cirrhosis
8	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
9	32	DEMENTIA	Num	8	224	BEST12.	BEST32.	Dementia
10	22	DIAB	Num	8	152	BEST12.	BEST32.	Diabetes Mellitus
11	14	DIALY	Num	8	88	BEST12.	BEST32.	Is the patient on chronic dialysis or pe
12	24	ETHANOL	Num	8	168	BEST12.	BEST32.	Protocol defined ethanol use
13	5	HASDDT	Num	8	16	5.	MMDDYY10.	Hospital Admission date
14	29	HEART	Num	8	200	BEST12.	BEST32.	Congestive heart failure
15	20	HEPA	Num	8	136	BEST12.	BEST32.	Hepatic failure with coma or encephalopa
16	27	HYPERT	Num	8	184	BEST12.	BEST32.	Hypertension
17	7	ICUADT	Num	8	32	5.	MMDDYY10.	ICU Admission date
18	11	ICURE	Num	8	64	BEST12.	BEST32.	ICU Readmit
19	12	ICURE2	Num	8	72	BEST12.	BEST32.	ICU Readmit within 24 hours
20	8	ICUTM	Num	8	40	TIME5.		Time of ICU Admission
21	19	IMMUNE	Num	8	128	BEST12.	BEST32.	Immune suppression (radiation, chemother
22	16	LEUK	Num	8	104	BEST12.	BEST32.	Leukemia (AML, CML, all lymphocytic leuk
23	17	LYMPH	Num	8	112	BEST12.	BEST32.	Non-Hodgkin's Lymphoma
24	28	MYOCARD	Num	8	192	BEST12.	BEST32.	Prior myocardial infarction
25	1	PROTOCOL	Char	9	256	\$9.	\$9.	Protocol [Study] name
26	2	PTID	Char	20	265			Subject Number
27	25	RESIDE	Num	8	176	BEST12.	BEST32.	What was patient's place of residence pr
28	26	RESOTHER	Char	15	285			Specify
29	31	STROKE	Num	8	216	BEST12.	BEST32.	Prior stroke with sequellae
30	10	SURGEL	Num	8	56	BEST12.	BEST32.	Is patient immediately post-operative fr
31	18	TUMOR	Num	8	120	BEST12.	BEST32.	Solid tumor with metastasis
32	35	ULCER	Num	8	248	BEST12.	BEST32.	Peptic ulcer disease
33	30	VASCULAR	Num	8	208	BEST12.	BEST32.	Peripheral vascular disease

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	23	VASOL24	Num	8	160	BEST12.	BEST32.	Vasopressors last 24 hours?
35	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: apache_p.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	35	ALBUMH	Num	8	256	BEST12.	BEST32.	Albumin highest
2	34	ALBUML	Num	8	248	BEST12.	BEST32.	Albumin lowest
3	37	BICAR	Num	8	272	BEST12.	BEST32.	Bicarbonate lowest
4	36	BILI	Num	8	264	BEST12.	BEST32.	Bilirubin (highest)
5	29	BUN	Num	8	208	BEST12.	BEST32.	BUN
6	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
7	31	CREATH	Num	8	224	BEST12.	BEST32.	Creatine highest
8	30	CREATL	Num	8	216	BEST12.	BEST32.	Creatine lowest
9	33	GLUCH	Num	8	240	BEST12.	BEST32.	Glucose highest
10	32	GLUCL	Num	8	232	BEST12.	BEST32.	Glucose lowest
11	21	HCTH	Num	8	144	BEST12.	BEST32.	Hct highest
12	20	HCTL	Num	8	136	BEST12.	BEST32.	Hct Lowest
13	14	HRATEH	Num	8	88	BEST12.	BEST32.	Heart Rate High
14	13	HRATEL	Num	8	80	BEST12.	BEST32.	Heart Rate Low
15	18	HVENT	Num	8	120	BEST12.	BEST32.	Was patient ventilated when the highest
16	17	LVENT	Num	8	112	BEST12.	BEST32.	Was patient ventilated when the lowest r
17	12	MEANAPH	Num	8	72	BEST12.	BEST32.	Mean Arterial Pressure high
18	11	MEANAPL	Num	8	64	BEST12.	BEST32.	Mean Arterial Pressure low
19	24	PLATE	Num	8	168	BEST12.	BEST32.	Platelets (lowest)
20	28	POTASH	Num	8	200	BEST12.	BEST32.	Potassium highest
21	27	POTASL	Num	8	192	BEST12.	BEST32.	Potassium lowest
22	1	PROTOCOL	Char	9	280	\$9.	\$9.	Protocol [Study] name
23	2	PTID	Char	20	289			Subject Number
24	16	RESPH	Num	8	104	BEST12.	BEST32.	Respiratory Rate High
25	15	RESPL	Num	8	96	BEST12.	BEST32.	Respiratory Rate Low
26	26	SODIUMH	Num	8	184	BEST12.	BEST32.	Sodium highest
27	25	SODIUML	Num	8	176	BEST12.	BEST32.	Sodium lowest
28	10	SYSBPH	Num	8	56	BEST12.	BEST32.	Systolic BP high
29	9	SYSBPL	Num	8	48	BEST12.	BEST32.	Systolic BP low
30	6	TEMPCH	Num	8	24	BEST12.	BEST32.	Temp high (C)
31	5	TEMPCL	Num	8	16	BEST12.	BEST32.	Temp low (C)
32	8	TEMPFH	Num	8	40	BEST12.	BEST32.	Temp high (F)
33	7	TEMPFL	Num	8	32	BEST12.	BEST32.	Temp low (F)

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	19	URINE	Num	8	128	BEST12.	BEST32.	Urine output /24 hours
35	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name
36	23	WBCH	Num	8	160	BEST12.	BEST32.	WBC Highest
37	22	WBCL	Num	8	152	BEST12.	BEST32.	WBC Lowest

Data Set Name: audit.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat
1	4	COPYID	Num	8	8	BEST12.	BEST32.
2	6	DATATYPE	Char	4	54	\$4.	\$4.
3	5	FIELD	Char	9	45	\$9.	\$9.
4	2	FORM	Char	20	25	\$20.	\$20.
5	8	NEWDATA	Char	40	98	\$40.	\$40.
6	7	OLDDATA	Char	40	58	\$40.	\$40.
7	1	PTID	Char	9	16	\$9.	\$9.
8	3	VISIT	Num	8	0	BEST12.	BEST32.

Data Set Name: base_cxr.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	6	BARO1	Num	8	24	BEST12.	BEST32.	Pneumothoraces
2	7	BARO2	Num	8	32	BEST12.	BEST32.	Subcutaneous emphysema
3	8	BARO3	Num	8	40	BEST12.	BEST32.	Pneumomediastinum
4	9	BARO4	Num	8	48	BEST12.	BEST32.	Pneumatoceles > 2 cm diam
5	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
6	10	CTUBE	Num	8	56	BEST12.	BEST32.	Chest tube
7	5	NQUAD	Num	8	16	BEST12.	BEST32.	Number of quadrants with infiltrates
8	1	PROTOCOL	Char	9	64	\$9.	\$9.	Protocol [Study] name
9	2	PTID	Char	20	73			Subject Number
10	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: base_ds.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	5	BDIAG1	Num	8	16	BEST12.	BEST32.	Trans-thoracic Cardiac Ultrasound?
2	7	BDIAG2	Num	8	32	BEST12.	BEST32.	Transesophageal Cardial Ultrasound?
3	9	BDIAG3	Num	8	48	BEST12.	BEST32.	Radionuclide Ventriculography
4	11	BDIAG4	Num	8	64	BEST12.	BEST32.	Left Heart Cardiac Catheterization?
5	13	BDIAG5	Num	8	80	BEST12.	BEST32.	Greene Dye Cardiac Output?
6	15	BDIAG6	Num	8	96	BEST12.	BEST32.	Bioimpedance Cardiac Output?
7	17	BDIAG7	Num	8	112	BEST12.	BEST32.	Other
8	6	BDIAGDT1	Num	8	24	5.		If yes, Date
9	8	BDIAGDT2	Num	8	40	5.		If yes, Date
10	10	BDIAGDT3	Num	8	56	5.		If yes, Date
11	12	BDIAGDT4	Num	8	72	5.		If yes, Date
12	14	BDIAGDT5	Num	8	88	5.		If yes, Date
13	16	BDIAGDT6	Num	8	104	5.		If yes, Date
14	18	BDIAGDT7	Num	8	120	5.		If yes, Date
15	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
16	1	PROTOCOL	Char	9	128	\$9.	\$9.	Protocol [Study] name
17	2	PTID	Char	20	137			Subject Number
18	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: base_lab.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	16	ALBUM	Num	8	104	BEST12.	BEST32.	Albumin
2	14	BICARB	Num	8	88	BEST12.	BEST32.	HCO3
3	20	BMVO2SAT	Num	8	136	BEST12.	BEST32.	mvO2 Sat
4	12	BUN	Num	8	72	BEST12.	BEST32.	BUN
5	13	CHLOR	Num	8	80	BEST12.	BEST32.	Chloride
6	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
7	11	CREAT	Num	8	64	BEST12.	BEST32.	Creatinine
8	24	CVO2SAT	Num	8	168	BEST12.	BEST32.	cvO2 sat
9	23	CVPHB	Num	8	160	BEST12.	BEST32.	cv pH
10	10	GLUC	Num	8	56	BEST12.	BEST32.	Glucose
11	5	HGB	Num	8	16	BEST12.	BEST32.	Hgb
12	19	MVPHB	Num	8	128	BEST12.	BEST32.	mv pH
13	22	PCVCO2B	Num	8	152	BEST12.	BEST32.	PcvCO2
14	21	PCVO2B	Num	8	144	BEST12.	BEST32.	PcvO2
15	7	PLATE	Num	8	32	BEST12.	BEST32.	Platelets (lowest)
16	18	PMVCO2B	Num	8	120	BEST12.	BEST32.	PmvCO2
17	17	PMVO2B	Num	8	112	BEST12.	BEST32.	PmvO2
18	9	POTAS	Num	8	48	BEST12.	BEST32.	Potassium
19	1	PROTOCOL	Char	9	176	\$9.	\$9.	Protocol [Study] name
20	2	PTID	Char	20	185			Subject Number
21	8	SODIUM	Num	8	40	BEST12.	BEST32.	Sodium
22	15	TPROT	Num	8	96	BEST12.	BEST32.	Total Protein
23	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name
24	6	WBC	Num	8	24	BEST12.	BEST32.	WBC

Data Set Name: base_ven.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	31	ARTPH	Num	8	168	BEST12.	BEST32.	Arterial pH
2	11	ASSISTVP	Char	1	239			Assist/Control
3	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
4	25	ERATIO	Num	8	120	BEST12.	BEST32.	Set I:E
5	28	FIO2	Num	8	144	BEST12.	BEST32.	FiO2
6	7	INTUBDT	Num	8	32	5.	MMDDYY10.	Date of current intubation
7	8	INTUBTM	Num	8	40	TIME5.		Time of current intubation
8	27	MAPRES	Num	8	136	BEST12.	BEST32.	Mean airway pressure
9	15	OTHERSP	Char	10	243			Other Specify
10	14	OTHVP	Char	1	242			Other
11	30	PACO2	Num	8	160	BEST12.	BEST32.	PaCO2
12	29	PAO2	Num	8	152	BEST12.	BEST32.	PaO2
13	13	PCIRV	Char	1	241			PC IRV
14	12	PCVP	Char	1	240			Pressure Control
15	17	PCVPL	Num	8	56	BEST12.	BEST32.	Pressure Control level
16	24	PEAK	Num	8	112	BEST12.	BEST32.	Peak inspiratory pressure
17	22	PEEP	Num	8	96	BEST12.	BEST32.	PEEP
18	35	PEEPVC	Num	8	200	BEST12.	BEST32.	PEEP
19	1	PROTOCOL	Char	9	208	\$9.	\$9.	Protocol [Study] name
20	23	PSTAT1	Num	8	104	BEST12.	BEST32.	Plateau Pressure
21	34	PSTATVC	Num	8	192	BEST12.	BEST32.	Plateau Pressure
22	10	PSVP	Char	1	238			Pressure Support
23	18	PSVPL	Num	8	64	BEST12.	BEST32.	Pressure Support level
24	2	PTID	Char	20	217			Subject Number
25	9	SIMV	Char	1	237			SIMV
26	32	SPO2	Num	8	176	BEST12.	BEST32.	SpO2
27	19	SRATE	Num	8	72	BEST12.	BEST32.	Set Rate
28	26	TERATIO	Num	8	128	BEST12.	BEST32.	True I:E
29	16	TIDAL	Num	8	48	BEST12.	BEST32.	Calculated Delivered Tidal Volume
30	33	TIDALVC	Num	8	184	BEST12.	BEST32.	Calculated Delivered Tidal Volume
31	21	TMNVNT	Num	8	88	BEST12.	BEST32.	Total minute ventilation
32	20	TRESPR	Num	8	80	BEST12.	BEST32.	Total respiratory rate
33	5	VENTCHDT	Num	8	16	5.	MMDDYY10.	Vent change date

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	6	VENTCHTM	Num	8	24	TIME5.		Initial vent change time
35	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: bld_cult.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	5	BCDT1	Num	8	16	5.	MMDDYY10.	Date
2	7	BCORG1	Num	8	32	BEST12.	BEST32.	Organism
3	6	BCTM1	Num	8	24	TIME5.		Time
4	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
5	1	PROTOCOL	Char	9	40	\$9.	\$9.	Protocol [Study] name
6	2	PTID	Char	20	49			Subject Number
7	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: brussels.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	10	BILI0	Num	8	56	BEST12.	BEST32.	Bilirubin
2	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
3	9	CREAT0	Num	8	48	BEST12.	BEST32.	Creatinine
4	7	PAFI0	Num	8	32	BEST12.	BEST32.	PaO2/FiO2
5	8	PLATE0	Num	8	40	BEST12.	BEST32.	Platelets x 1000
6	1	PROTOCOL	Char	9	72	\$9.	\$9.	Protocol [Study] name
7	2	PTID	Char	20	81			Subject Number
8	5	STARTDAT	Num	8	16	5.	MMDDYY10.	Start Date
9	6	SYSBP0	Num	8	24	BEST12.	BEST32.	Syst BP
10	11	VASO0	Num	8	64	BEST12.	BEST32.	Vasopressor
11	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: datadict.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Label
1	1	DATASET	Char	20	16	Library Member Name
2	6	FORMAT	Char	8	96	Variable Format
3	4	LENGTH	Num	8	8	Variable Length
4	7	SETLABEL	Char	30	104	
5	3	TYPE	Num	8	0	Variable Type
6	2	VARIABLE	Char	20	36	Variable Name
7	5	VARLABEL	Char	40	56	Variable Label

Data Set Name: enrollme.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	12	ALGRTHM	Num	8	72	BEST12.	BEST32.	Algorithm version number
2	5	CONSENT	Num	8	16	BEST12.	BEST32.	a. For the participation in the PAC stud
3	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
4	8	COST	Num	8	40	BEST12.	BEST32.	d. For participation in the Cost/Effect
5	6	GENE1	Num	8	24	BEST12.	BEST32.	b. For genetic testing related to ALI/AR
6	7	GENE2	Num	8	32	BEST12.	BEST32.	c. For genetic testing related to future
7	1	PROTOCOL	Char	9	80	\$9.	\$9.	Protocol [Study] name
8	2	PTID	Char	20	89			Subject Number
9	10	RANDDT	Num	8	56	5.	MMDDYY10.	Date of randomization
10	9	RANDOMTX	Num	8	48	BEST12.	BEST32.	Patient randomized to
11	11	RANDTM	Num	8	64	TIME5.		Time of randomization
12	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: gcs.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
2	6	EYE	Num	8	24	BEST12.	BEST32.	Eye Opening Score
3	7	MOTOR	Num	8	32	BEST12.	BEST32.	Motor Response Score
4	1	PROTOCOL	Char	9	56	\$9.	\$9.	Protocol [Study] name
5	2	PTID	Char	20	65			Subject Number
6	5	SEDATE	Num	8	16	BEST12.	BEST32.	Is patient on a sedative or neuromuscula
7	9	TOTAL	Num	8	48	BEST12.	BEST32.	Total
8	8	VERBAL	Num	8	40	BEST12.	BEST32.	Verbal Response Score
9	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: os_cxr.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	6	BARO1	Num	8	24	BEST12.	BEST32.	Pneumothoraces
2	7	BARO2	Num	8	32	BEST12.	BEST32.	Subcutaneous emphysema
3	8	BARO3	Num	8	40	BEST12.	BEST32.	Pneumomediastinum
4	9	BARO4	Num	8	48	BEST12.	BEST32.	Pneumatoceles > 2 cm diam
5	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
6	10	CTUBE	Num	8	56	BEST12.	BEST32.	Chest tube
7	5	NQUAD	Num	8	16	BEST12.	BEST32.	Number of quadrants with infiltrates
8	1	PROTOCOL	Char	9	64	\$9.	\$9.	Protocol [Study] name
9	2	PTID	Char	20	73			Subject Number
10	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: os_ds.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
2	5	DIAG1	Num	8	16	BEST12.	BEST32.	Trans-thoracic Cardiac Ultrasound?
3	6	DIAG2	Num	8	24	BEST12.	BEST32.	Transesophageal Cardial Ultrasound?
4	7	DIAG3	Num	8	32	BEST12.	BEST32.	Radionuclide Ventriculography?
5	8	DIAG4	Num	8	40	BEST12.	BEST32.	Left Heart Cardiac Catheterization?
6	9	DIAG5	Num	8	48	BEST12.	BEST32.	Greene Dye Cardiac Output?
7	10	DIAG6	Num	8	56	BEST12.	BEST32.	Bioimpedance Cardiac Output?
8	11	DIAG7	Num	8	64	BEST12.	BEST32.	Other
9	1	PROTOCOL	Char	9	72	\$9.	\$9.	Protocol [Study] name
10	2	PTID	Char	20	81			Subject Number
11	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: os_labs.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	14	ALBUM	Num	8	88	BEST12.	BEST32.	Albumin
2	12	BICARB	Num	8	72	BEST12.	BEST32.	HCO3
3	10	BUN	Num	8	56	BEST12.	BEST32.	BUN
4	11	CHLOR	Num	8	64	BEST12.	BEST32.	Chloride
5	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
6	9	CREAT	Num	8	48	BEST12.	BEST32.	Creatinine
7	8	GLUC	Num	8	40	BEST12.	BEST32.	Glucose
8	5	HGB	Num	8	16	BEST12.	BEST32.	Hgb
9	7	POTAS	Num	8	32	BEST12.	BEST32.	Potassium
10	1	PROTOCOL	Char	9	96	\$9.	\$9.	Protocol [Study] name
11	2	PTID	Char	20	105			Subject Number
12	6	SODIUM	Num	8	24	BEST12.	BEST32.	Sodium
13	13	TPROT	Num	8	80	BEST12.	BEST32.	Total Protein
14	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: os_vent.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	19	ARTPH	Num	8	128	BEST12.	BEST32.	Arterial pH
2	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
3	28	CVO2SAT	Num	8	200	BEST12.	BEST32.	cvO2 sat
4	27	CVPH	Num	8	192	BEST12.	BEST32.	cv pH
5	13	ERATIO	Num	8	80	BEST12.	BEST32.	Set I:E
6	16	FIO2	Num	8	104	BEST12.	BEST32.	FiO2
7	15	MAPRES	Num	8	96	BEST12.	BEST32.	Mean airway pressure
8	24	MVO2SAT	Num	8	168	BEST12.	BEST32.	mvO2 Sat
9	23	MVPH	Num	8	160	BEST12.	BEST32.	mv pH
10	18	PACO2	Num	8	120	BEST12.	BEST32.	PaCO2
11	17	PAO2	Num	8	112	BEST12.	BEST32.	PaO2
12	26	PCVCO2	Num	8	184	BEST12.	BEST32.	PcvCO2
13	25	PCVO2	Num	8	176	BEST12.	BEST32.	PcvO2
14	12	PEAK	Num	8	72	BEST12.	BEST32.	Peak inspiratory pressure
15	10	PEEP	Num	8	56	BEST12.	BEST32.	PEEP
16	22	PMVCO2	Num	8	152	BEST12.	BEST32.	PmvCO2
17	21	PMVO2	Num	8	144	BEST12.	BEST32.	PmvO2
18	1	PROTOCOL	Char	9	208	\$9.	\$9.	Protocol [Study] name
19	11	PSTAT1	Num	8	64	BEST12.	BEST32.	Plateau Pressure
20	6	PSVPL	Num	8	24	BEST12.	BEST32.	Pressure Support level
21	2	PTID	Char	20	217			Subject Number
22	20	SPO2	Num	8	136	BEST12.	BEST32.	SpO2
23	7	SRATE	Num	8	32	BEST12.	BEST32.	Set Rate
24	14	TERATIO	Num	8	88	BEST12.	BEST32.	True I:E
25	5	TIDAL	Num	8	16	BEST12.	BEST32.	Calculated Delivered Tidal Volume
26	9	TMNVNT	Num	8	48	BEST12.	BEST32.	Total minute ventilation
27	8	TRESPR	Num	8	40	BEST12.	BEST32.	Total respiratory rate
28	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: os_vital.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	22	ALBUM5	Num	8	152	BEST12.	BEST32.	5% Albumin
2	21	ALBUM25	Num	8	144	BEST12.	BEST32.	25% Albumin
3	40	AMRIN	Num	8	296	BEST12.	BEST32.	Amrinone
4	48	APC	Num	8	360	BEST12.	BEST32.	Recombinant human APC (xigris or drotrec
5	14	CAPRTM	Num	8	88	BEST12.	BEST32.	Capillary refill time
6	30	CI	Num	8	216	BEST12.	BEST32.	Cardiac Index
7	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
8	26	CVP	Num	8	184	BEST12.	BEST32.	Central Venous Pressure
9	7	DIABP	Num	8	32	BEST12.	BEST32.	Diastolic BP
10	43	DIUR	Num	8	320	BEST12.	BEST32.	Diuretics
11	45	DIURIL	Num	8	336	BEST12.	BEST32.	Chlorthiazide (Diuril)
12	37	DOBUT	Num	8	272	BEST12.	BEST32.	Dobutamine
13	33	DOPA	Num	8	240	BEST12.	BEST32.	Dopamine
14	38	DOPEX	Num	8	280	BEST12.	BEST32.	Dopexamine
15	46	EDECRINE	Num	8	344	BEST12.	BEST32.	Ethacrynic acid (Edecrin)
16	17	EDEMA	Num	8	112	BEST12.	BEST32.	Anasarca
17	24	ENTERAL	Num	8	168	BEST12.	BEST32.	Enteral
18	35	EPI	Num	8	256	BEST12.	BEST32.	Epinephrine
19	16	EXTREM	Num	8	104	BEST12.	BEST32.	Cold extremeties
20	20	FFP	Num	8	136	BEST12.	BEST32.	FFP
21	25	FLDOUT24	Num	8	176	BEST12.	BEST32.	Fluid Output last 24h
22	18	FLUID	Num	8	120	BEST12.	BEST32.	Fluid Intake last 24h
23	13	HEMO	Num	8	80	BEST12.	BEST32.	Has patient achieved protocol - specific
24	5	HRATE	Num	8	16	BEST12.	BEST32.	Heart rate
25	15	KNEEMOT	Num	8	96	BEST12.	BEST32.	Knee mottling
26	44	LASIX	Num	8	328	BEST12.	BEST32.	Furosemide (Lasix)
27	8	MAP	Num	8	40	BEST12.	BEST32.	Mean Arterial Pressure
28	39	MILRIN	Num	8	288	BEST12.	BEST32.	Milrinone
29	31	MVO2SAT	Num	8	224	BEST12.	BEST32.	mvO2 Sat
30	36	NEOSYN	Num	8	264	BEST12.	BEST32.	Neosynephrine
31	34	NOREPI	Num	8	248	BEST12.	BEST32.	Norepinephrine
32	23	OTHCOLL	Num	8	160	BEST12.	BEST32.	Other colloid (specify)
33	47	OTHDIUR	Num	8	352	BEST12.	BEST32.	Other

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	42	OTHVASO	Num	8	312	BEST12.	BEST32.	Other
35	28	PAD	Num	8	200			Pulmonary Artery Diastolic
36	29	PAOP	Num	8	208	BEST12.	BEST32.	Pulmonary Artery Occlusion Pressure
37	27	PAS	Num	8	192	BEST12.	BEST32.	Pulmonary Artery Systolic
38	19	PRBC	Num	8	128	BEST12.	BEST32.	PRBC
39	1	PROTOCOL	Char	9	368	\$9.	\$9.	Protocol [Study] name
40	2	PTID	Char	20	377			Subject Number
41	6	SYSBP	Num	8	24	BEST12.	BEST32.	Systolic BP
42	9	TEMPC	Num	8	48	BEST12.	BEST32.	Temperature
43	10	TEMPF	Num	8	56	BEST12.	BEST32.	Temperature
44	32	VASOPRES	Num	8	232	BEST12.	BEST32.	Vasopressors or Inotropic Agents
45	41	VASOPRN	Num	8	304	BEST12.	BEST32.	Vasopressin
46	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name
47	11	WEIGHTK	Num	8	64	BEST12.	BEST32.	Measured Weight
48	12	WEIGHTL	Num	8	72	BEST12.	BEST32.	Measured Weight

Data Set Name: pac_cvc.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	11	ANTIBIO	Num	8	64	BEST12.	BEST32.	Catheter antibiotic coated?
2	7	CATHDTI	Num	8	32	5.	MMDDYY10.	Date PAC/CVC inserted
3	16	CATHDTRM	Num	8	88	5.	MMDDYY10.	Date catheter removed
4	5	CATHNUM	Num	8	16	BEST12.	BEST32.	Catheter Number (First study catheter =
5	8	CATHDMI	Num	8	40	TIME5.		Time PAC/CVC inserted
6	17	CATHDMRM	Num	8	96	TIME5.		Time catheter removed
7	6	CATHTYPE	Num	8	24	BEST12.	BEST32.	Catheter type
8	20	COMP0	Char	1	254			None
9	21	COMP1	Char	1	255			Atrial arrhythmia requiring Rx
10	22	COMP2	Char	1	256			PVCs requiring Rx
11	23	COMP3	Char	1	257			ventricular tachycardia
12	24	COMP4	Char	1	258			ventricular fibrillation
13	25	COMP5	Char	1	259			right bundle branch block
14	26	COMP6	Char	1	260			complete heart block
15	27	COMP7	Char	1	261			pneumothorax
16	28	COMP8	Char	1	262			hemothorax
17	29	COMP9	Char	1	263			hemoptysis
18	30	COMP10	Char	1	264			inadvertent arterial puncture
19	31	COMP11	Char	1	265			excessive bleeding at insertion site
20	32	COMP12	Char	1	266			local site infection
21	33	COMP13	Char	1	267			local venous thrombosis
22	34	COMP14	Char	1	268			venous thromboembolism
23	35	COMP15	Char	1	269			air embolism
24	36	COMP16	Char	1	270			other
25	37	COMPLT0	Char	1	271			none
26	38	COMPLT1	Char	1	272			Atrial arrhythmia requiring Rx
27	39	COMPLT2	Char	1	273			PVCs requiring Rx
28	40	COMPLT3	Char	1	274			ventricular tachycardia
29	41	COMPLT4	Char	1	275			ventricular fibrillation
30	42	COMPLT5	Char	1	276			right bundle branch block
31	43	COMPLT6	Char	1	277			complete heart block
32	44	COMPLT7	Char	1	278			pneumothorax
33	45	COMPLT8	Char	1	279			hemothorax

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	46	COMPLT9	Char	1	280			hemoptysis
35	47	COMPLT10	Char	1	281			inadvertent arterial puncture
36	48	COMPLT11	Char	1	282			excessive bleeding at insertion site
37	49	COMPLT12	Char	1	283			local site infection
38	50	COMPLT13	Char	1	284			local venous thrombosis
39	51	COMPLT14	Char	1	285			venous thromboembolism
40	52	COMPLT15	Char	1	286			air embolism
41	53	COMPLT16	Char	1	287			other
42	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
43	12	LUMENS	Num	8	72	BEST12.	BEST32.	Number of lumens
44	56	ORG1	Num	8	128			Organism #1
45	58	ORG2	Num	8	144			Organism #2
46	54	PACCLTRD	Num	8	112	BEST12.	BEST32.	Catheter tip cultured?
47	15	PACLOCAT	Num	8	80	BEST12.	BEST32.	Location of PAC/CVC/Introducer
48	13	PACMAKE	Char	15	181	\$22.	\$22.	Manufacturer
49	14	PACMOD	Char	8	196	\$16.	\$16.	Model number
50	9	PLACEEX	Num	8	48	BEST12.	BEST32.	CVC/PAC placed through existing vascular
51	10	PLACENEW	Num	8	56	BEST12.	BEST32.	CVC/PAC placed through new vascular acce
52	1	PROTOCOL	Char	9	152	\$9.	\$9.	Protocol [Study] name
53	2	PTID	Char	20	161			Subject Number
54	18	RCATHRM	Num	8	104	BEST12.	BEST32.	Reason catheter removed
55	19	RCATHRMT	Char	50	204	\$50.	\$1.	Other Specify
56	55	TIPORG1	Num	8	120			Organism #1
57	57	TIPORG2	Num	8	136			Organism #2
58	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: pre_flu.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	30	AMRIN	Num	8	216	BEST12.	BEST32.	Amrinone
2	10	CAPRTM	Num	8	56	BEST12.	BEST32.	Capillary refill time
3	19	CI	Num	8	128	BEST12.	BEST32.	Cardiac Index
4	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
5	15	CVP	Num	8	96	BEST12.	BEST32.	Central Venous Pressure
6	33	DIUR	Num	8	240	BEST12.	BEST32.	Diuretics
7	35	DIURIL	Num	8	256	BEST12.	BEST32.	Chlorthiazide (Diuril)
8	27	DOBUT	Num	8	192	BEST12.	BEST32.	Dobutamine
9	23	DOPA	Num	8	160	BEST12.	BEST32.	Dopamine
10	28	DOPEX	Num	8	200	BEST12.	BEST32.	Dopexamine
11	36	EDECRINE	Num	8	264	BEST12.	BEST32.	Ethacrynic acid (Edecrin)
12	25	EPI	Num	8	176	BEST12.	BEST32.	Epinephrine
13	12	EXTREM	Num	8	72	BEST12.	BEST32.	Cold extremities
14	5	FFMIDT	Num	8	16	5.	MMDDYY10.	Date first fluid management instruction
15	6	FFMITM	Num	8	24	TIME5.		Time of first fluid management instructi
16	13	FLUIDIR	Num	8	80	BEST12.	BEST32.	Fluid in since randomization
17	14	FLUIDOR	Num	8	88	BEST12.	BEST32.	Fluid Out since randomization
18	11	KNEEMOT	Num	8	64	BEST12.	BEST32.	Knee mottling
19	34	LASIX	Num	8	248	BEST12.	BEST32.	Furosemide (Lasix)
20	7	MAP	Num	8	32	BEST12.	BEST32.	Mean Arterial Pressure
21	29	MILRIN	Num	8	208	BEST12.	BEST32.	Milrinone
22	20	MVO2SAT	Num	8	136	BEST12.	BEST32.	mvO2 Sat
23	26	NEOSYN	Num	8	184	BEST12.	BEST32.	Neosynephrine
24	24	NOREPI	Num	8	168	BEST12.	BEST32.	Norepinephrine
25	37	OTHDIUR	Num	8	272	BEST12.	BEST32.	Other
26	32	OTHVASO	Num	8	232	BEST12.	BEST32.	Other
27	17	PAD	Num	8	112			Pulmonary Artery Diastolic
28	18	PAOP	Num	8	120	BEST12.	BEST32.	Pulmonary Artery Occlusion Pressure
29	16	PAS	Num	8	104	BEST12.	BEST32.	Pulmonary Artery Systolic
30	1	PROTOCOL	Char	9	280	\$9.	\$9.	Protocol [Study] name
31	2	PTID	Char	20	289			Subject Number
32	8	TEMPC	Num	8	40	BEST12.	BEST32.	Temperature
33	9	TEMPF	Num	8	48	BEST12.	BEST32.	Temperature

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	21	URNOUT4	Num	8	144	BEST12.	BEST32.	Average 4 hour urine output prior to tim
35	22	VASOPRES	Num	8	152	BEST12.	BEST32.	Vasopressors or Inotropic Agents
36	31	VASOPRN	Num	8	224	BEST12.	BEST32.	Vasopressin
37	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: pre_rand.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	28	AMRIN	Num	8	200	BEST12.	BEST32.	Amrinone
2	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
3	19	CVP	Num	8	128	BEST12.	BEST32.	Central Venous Pressure
4	7	DIABP	Num	8	32	BEST12.	BEST32.	Diastolic BP
5	31	DIUR	Num	8	224	BEST12.	BEST32.	Diuretics
6	33	DIURIL	Num	8	240	BEST12.	BEST32.	Chlorthiazide (Diuril)
7	25	DOBUT	Num	8	176	BEST12.	BEST32.	Dobutamine
8	21	DOPA	Num	8	144	BEST12.	BEST32.	Dopamine
9	26	DOPEX	Num	8	184	BEST12.	BEST32.	Dopexamine
10	34	EDECRINE	Num	8	248	BEST12.	BEST32.	Ethacrynic acid (Edecrin)
11	16	EDEMA	Num	8	104	BEST12.	BEST32.	Anasarca
12	23	EPI	Num	8	160	BEST12.	BEST32.	Epinephrine
13	17	FLUIDIN	Num	8	112	BEST12.	BEST32.	Fluid intake last 24h
14	18	FLUIDOUT	Num	8	120	BEST12.	BEST32.	Fluid Output last 24h
15	11	HEIGHTC	Num	8	64	BEST12.	BEST32.	Height (cm)
16	12	HEIGHTI	Num	8	72	BEST12.	BEST32.	Height (in)
17	5	HRATE	Num	8	16	BEST12.	BEST32.	Heart rate
18	32	LASIX	Num	8	232	BEST12.	BEST32.	Furosemide (Lasix)
19	8	MAP	Num	8	40	BEST12.	BEST32.	Mean Arterial Pressure
20	27	MILRIN	Num	8	192	BEST12.	BEST32.	Milrinone
21	24	NEOSYN	Num	8	168	BEST12.	BEST32.	Neosynephrine
22	22	NOREPI	Num	8	152	BEST12.	BEST32.	Norepinephrine
23	35	OTHDIUR	Num	8	256	BEST12.	BEST32.	Other
24	30	OTHVASO	Num	8	216	BEST12.	BEST32.	Other
25	13	PBW	Num	8	80	BEST12.	BEST32.	Predicted Body Weight
26	1	PROTOCOL	Char	9	264	\$9.	\$9.	Protocol [Study] name
27	2	PTID	Char	20	273			Subject Number
28	6	SYSBP	Num	8	24	BEST12.	BEST32.	Systolic BP
29	9	TEMPC	Num	8	48	BEST12.	BEST32.	Temperature
30	10	TEMPF	Num	8	56	BEST12.	BEST32.	Temperature
31	20	VASOPRES	Num	8	136	BEST12.	BEST32.	Vasopressors or Inotropic Agents
32	29	VASOPRN	Num	8	208	BEST12.	BEST32.	Vasopressin
33	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	14	WEIGHTK	Num	8	88	BEST12.	BEST32.	Measured Weight
35	15	WEIGHTL	Num	8	96	BEST12.	BEST32.	Measured Weight

Data Set Name: prot_val.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Label
1	7	CELLNO	Num	8	32		Fluid algorithm cell number chosen
2	4	COPYID	Num	8	8		Copy ID for multi-copy forms
3	5	DATADT	Num	8	16	5.	Date of data collection
4	6	DATATM	Num	8	24	TIME5.	Time of data collection
5	16	DOBUT1	Num	8	88		Dobutamine given?
6	17	DOBUT2	Num	8	96		Dobutamine not given b/o footnote?
7	18	DOBUT3	Num	8	104		Please select specific reason not given
8	19	DOBUT4	Char	150	489		Other
9	12	FLDBOL1	Num	8	64		Fluid bolus given?
10	13	FLDBOL2	Num	8	72		Fluid bolus not given b/o footnote?
11	14	FLDBOL3	Num	8	80		Please select specific reason not given
12	15	FLDBOL4	Char	150	339		Other
13	20	KVOIV1	Num	8	112		KVO IV given?
14	21	KVOIV2	Num	8	120		KVO IV not given b/o footnote?
15	22	KVOIV3	Num	8	128		KVO IV not given/declined code
16	23	KVOIV4	Char	150	639		Other
17	24	LASIX1	Num	8	136		Lasix given?
18	25	LASIX2	Num	8	144		Lasix not given b/o footnote?
19	26	LASIX3	Num	8	152		Please select specific reason not given
20	27	LASIX4	Char	150	789		Other
21	1	PROTOCOL	Char	9	160		Protocol [Study] name
22	2	PTID	Char	20	169		Subject Number
23	8	VASOP1	Num	8	40		Vasopressor given?
24	9	VASOP2	Num	8	48		Vasopressor not given b/o footnote?
25	10	VASOP3	Num	8	56		Please select specific reason not given
26	11	VASOP4	Char	150	189		Other
27	3	VISIT	Num	8	0		Visit name

Data Set Name: random.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Label
1	2	CATHETER	Char	3	20	
2	3	FLUID	Char	12	23	
3	1	PTID	Char	20	0	Subject Number

Data Set Name: rpc.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	22	ALGOCELL	Num	8	144	BEST12.	BEST32.	Fluid Management Algorithm Cell Number S
2	43	CELL1	Num	8	272	BEST12.	BEST32.	1st cell
3	44	CELL2	Num	8	280	BEST12.	BEST32.	2nd cell
4	45	CELL3	Num	8	288	BEST12.	BEST32.	3rd cell
5	46	CELL4	Num	8	296	BEST12.	BEST32.	4th cell
6	47	CELL5	Num	8	304	BEST12.	BEST32.	5th cell
7	48	CELL6	Num	8	312	BEST12.	BEST32.	6th cell
8	49	CELL7	Num	8	320	BEST12.	BEST32.	7th cell
9	50	CELL8	Num	8	328	BEST12.	BEST32.	8th cell
10	51	CELL9	Num	8	336	BEST12.	BEST32.	9th cell
11	52	CELL10	Num	8	344	BEST12.	BEST32.	10th cell
12	53	CELL11	Num	8	352	BEST12.	BEST32.	11th cell
13	54	CELL12	Num	8	360	BEST12.	BEST32.	12th cell
14	55	CELL13	Num	8	368	BEST12.	BEST32.	13th cell
15	56	CELL14	Num	8	376	BEST12.	BEST32.	14th cell
16	18	CI	Num	8	112	BEST12.	BEST32.	Cardiac Index
17	13	CIRC	Num	8	72	BEST12.	BEST32.	Adequate circulation?
18	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
19	14	CVP	Num	8	80	BEST12.	BEST32.	Central Venous Pressure
20	11	DATATM	Num	8	56	TIME5.		Time of data collection
21	31	DOBUT1	Num	8	200	BEST12.	BEST32.	Dobutamine given?
22	32	DOBUT2	Num	8	208			Dobutamine not given b/o footnote?
23	33	DOBUT3	Num	8	216	BEST12.	BEST32.	Please select specific reason not given
24	34	DOBUT4	Char	150	811			Other
25	60	DOBUT5	Num	8	408	BEST12.	BEST32.	If not given, why not?
26	27	FLDBOL1	Num	8	176	BEST12.	BEST32.	Fluid bolus given?
27	28	FLDBOL2	Num	8	184			Fluid bolus not given b/o footnote?
28	29	FLDBOL3	Num	8	192	BEST12.	BEST32.	Please select specific reason not given
29	30	FLDBOL4	Char	150	661			Other
30	59	FLDBOL5	Num	8	400	BEST12.	BEST32.	If not given, why not?
31	6	FMPROTIN	Num	8	24	BEST12.	BEST32.	Fluid management protocol still in effec
32	7	FMREASON	Num	8	32	BEST12.	BEST32.	If no, give reason
33	8	FMREASTX	Char	50	461			Other specify

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	57	FREEH2O	Num	8	384	BEST12.	BEST32.	Was free water (PO or IV) administered t
35	10	INSTRTNO	Num	8	48			Number of instructions declined this dat
36	35	KVOIV1	Num	8	224			KVO IV given?
37	36	KVOIV2	Num	8	232			KVO IV not given b/o footnote?
38	37	KVOIV3	Num	8	240			KVO IV not given/declined code
39	38	KVOIV4	Char	150	961			Other
40	39	LASIX1	Num	8	248	BEST12.	BEST32.	Lasix given?
41	40	LASIX2	Num	8	256			Lasix not given b/o footnote?
42	41	LASIX3	Num	8	264	BEST12.	BEST32.	Please select specific reason not given
43	42	LASIX4	Char	150	1111			Other
44	61	LASIX5	Num	8	416	BEST12.	BEST32.	If not given, why not?
45	12	MAP	Num	8	64	BEST12.	BEST32.	Mean Arterial Pressure
46	19	MVO2SAT	Num	8	120	BEST12.	BEST32.	mvO2 Sat
47	9	NINSTRT	Num	8	40			Number of instructions this date
48	62	ONVASOP	Num	8	424	BEST12.	BEST32.	On vasopressor?
49	17	PAD	Num	8	104			Pulmonary Artery Diastolic
50	15	PAOP	Num	8	88	BEST12.	BEST32.	Pulmonary Artery Occlusion Pressure
51	16	PAOPPAD	Num	8	96	BEST12.	BEST32.	If PAOP invalid, enter assumed PAOP base
52	20	PEEP	Num	8	128	BEST12.	BEST32.	PEEP
53	1	PROTOCOL	Char	9	432	\$9.	\$9.	Protocol [Study] name
54	2	PTID	Char	20	441			Subject Number
55	5	RCATHCHK	Num	8	16	TIME5.		Time of random cath check
56	21	URNOUT4	Num	8	136	BEST12.	BEST32.	Average 4 hour urine output prior to tim
57	23	VASOP1	Num	8	152	BEST12.	BEST32.	Vasopressor given?
58	24	VASOP2	Num	8	160			Vasopressor not given b/o footnote?
59	25	VASOP3	Num	8	168	BEST12.	BEST32.	Please select specific reason not given
60	26	VASOP4	Char	150	511			Other
61	58	VASOP5	Num	8	392	BEST12.	BEST32.	If not given, why not?
62	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: rpc_day0.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	5	CELL1	Num	8	8	BEST12.	BEST32.	1st Cell
2	6	CELL2	Num	8	16	BEST12.	BEST32.	2nd Cell
3	7	CELL3	Num	8	24	BEST12.	BEST32.	3rd Cell
4	8	CELL4	Num	8	32	BEST12.	BEST32.	4th Cell
5	9	CELL5	Num	8	40	BEST12.	BEST32.	5th Cell
6	10	CELL6	Num	8	48	BEST12.	BEST32.	6th Cell
7	11	CELL7	Num	8	56	BEST12.	BEST32.	7th Cell
8	12	CELL8	Num	8	64	BEST12.	BEST32.	8th Cell
9	13	CELL9	Num	8	72	BEST12.	BEST32.	9th Cell
10	14	CELL10	Num	8	80	BEST12.	BEST32.	10th Cell
11	15	CELL11	Num	8	88	BEST12.	BEST32.	11th Cell
12	16	CELL12	Num	8	96	BEST12.	BEST32.	12th Cell
13	17	CELL13	Num	8	104	BEST12.	BEST32.	13th Cell
14	18	CELL14	Num	8	112	BEST12.	BEST32.	14th Cell
15	4	COPYID	Num	8	0	BEST12.	BEST32.	Copy ID for multi-copy forms
16	1	PROTOCOL	Char	9	125	\$9.	\$9.	Protocol [Study] name
17	2	PTID	Char	20	134			Subject Number
18	3	VISIT	Num	5	120	BEST12.	BEST32.	Visit name

Data Set Name: spec_col.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	6	BLDT1	Num	8	24	5.	MMDDYY10.	Date of Blood for Day 0
2	8	BLDT2	Num	8	40	5.		Date of Blood for Day 1
3	10	BLDT3	Num	8	56	5.		Date of Blood for Day 3
4	12	BLDT7	Num	8	72	5.		Date of Blood for Day 7
5	5	BLOOD1	Num	8	16	BEST12.	BEST32.	Blood for cytokine Day 0
6	7	BLOOD2	Num	8	32	BEST12.	BEST32.	Blood for cytokine Day1
7	9	BLOOD3	Num	8	48	BEST12.	BEST32.	Blood for cytokine Day3
8	11	BLOOD7	Num	8	64	BEST12.	BEST32.	Blood for cytokine Day 7
9	15	BUCCAL	Num	8	96	BEST12.	BEST32.	Buccal Smear
10	16	BUCCALDT	Num	8	104	5.	BEST32.	Date of Buccal Smear
11	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
12	1	PROTOCOL	Char	9	112	\$9.	\$9.	Protocol [Study] name
13	2	PTID	Char	20	121			Subject Number
14	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name
15	14	WBLDT	Num	8	88	5.		Date for Whole Blood
16	13	WBLOOD	Num	8	80	BEST12.	BEST32.	Whole Blood

Data Set Name: term.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
2	46	DIAL	Num	8	344	BEST12.	BEST32.	Did patient require dialysis during stud
3	48	DIALDAY	Num	8	360	5.	MMDDYY10.	Date of last dialysis during study hospi
4	47	DIALDT	Num	8	352	5.	MMDDYY10.	If yes, date of first dialysis
5	49	ELDM	Num	8	368	BEST12.	BEST32.	End of Life Decision Making
6	11	HOSPDC	Num	8	64	BEST12.	BEST32.	Was patient discharge from study hospita
7	50	HOSPDCAL	Num	8	376	BEST12.	BEST32.	If alive, destination at discharge from
8	12	HOSPDCDT	Num	8	72	5.	MMDDYY10.	If yes, give date
9	13	HOSPDCST	Num	8	80			Status at discharge from study hospital
10	17	ICUADDT2	Num	8	112	5.	MMDDYY10.	Date of ICU readmission
11	21	ICUADDT3	Num	8	144	5.	MMDDYY10.	Date of ICU readmission
12	25	ICUADDT4	Num	8	176	5.	BEST32.	Date of ICU readmission
13	29	ICUADDT5	Num	8	208	5.	BEST32.	Date of readmission to ICU
14	16	ICUADM2	Num	8	104	BEST12.	BEST32.	Readmitted to ICU?
15	20	ICUADM3	Num	8	136	BEST12.	BEST32.	Readmitted to ICU?
16	24	ICUADM4	Num	8	168	BEST12.	BEST32.	Readmitted to ICU?
17	28	ICUADM5	Num	8	200	BEST12.	BEST32.	Readmitted to ICU?
18	15	ICUCDT1	Num	8	96	5.	MMDDYY10.	Date of ICU discharge
19	14	ICUDC1	Num	8	88	BEST12.	BEST32.	Discharged from ICU?
20	18	ICUDC2	Num	8	120	BEST12.	BEST32.	Discharged from ICU?
21	22	ICUDC3	Num	8	152	BEST12.	BEST32.	Discharged from ICU?
22	26	ICUDC4	Num	8	184	BEST12.	BEST32.	Discharged from ICU?
23	30	ICUDC5	Num	8	216	BEST12.	BEST32.	Discharged from ICU?
24	19	ICUDCDT2	Num	8	128	5.	MMDDYY10.	Date of ICU discharge
25	23	ICUDCDT3	Num	8	160	5.	MMDDYY10.	Date of ICU discharge
26	27	ICUDCDT4	Num	8	192	5.	BEST32.	Date of ICU discharge
27	31	ICUDCDT5	Num	8	224	5.	BEST32.	Date of ICU discharge
28	1	PROTOCOL	Char	9	384	\$9.	\$9.	Protocol [Study] name
29	2	PTID	Char	20	393			Subject Number
30	9	PWDRAW	Num	8	48	BEST12.	BEST32.	Was patient permanently withdrawn from t
31	10	PWDRAWDT	Num	8	56	5.	MMDDYY10.	If yes, give date PAC withdrawal
32	34	RETAB1	Num	8	248	BEST12.	BEST32.	Patient returned to assisted breathing
33	38	RETAB2	Num	8	280	BEST12.	BEST32.	Patient returned to assisted breathing a

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	42	RETAB3	Num	8	312	BEST12.	BEST32.	Patient returned to assisted breathing
35	35	RETABDT1	Num	8	256	5.	MMDDYY10.	Date of return to assisted breathing
36	39	RETABDT2	Num	8	288	5.	BEST32.	Date patient returned to assisted breath
37	43	RETABDT3	Num	8	320	5.	BEST32.	Date of return to assisted breathing
38	6	ST1DT	Num	8	24	5.	MMDDYY10.	Date home with UAB
39	7	ST2DT	Num	8	32	5.	MMDDYY10.	Date of death prior to home with UAB
40	8	ST3DT	Num	8	40	5.	MMDDYY10.	Date of last known patient status if not
41	5	STATUS	Num	8	16	BEST12.	BEST32.	Patient status (through Day 90)
42	32	UAB1	Num	8	232	BEST12.	BEST32.	Patient achieved unassisted breathing
43	36	UAB2	Num	8	264	BEST12.	BEST32.	Patient achieved unassisted breathing ag
44	40	UAB3	Num	8	296	BEST12.	BEST32.	Patient achieved unassisted breathing ag
45	44	UAB4	Num	8	328	BEST12.	BEST32.	Patient achieved unassisted breathing ag
46	33	UABDT1	Num	8	240	5.	MMDDYY10.	Date of first UAB
47	37	UABDT2	Num	8	272	5.	MMDDYY10.	Date of unassisted breathing
48	41	UABDT3	Num	8	304	5.	BEST32.	Date of unassisted breathing
49	45	UABDT4	Num	8	336	5.	BEST32.	Date of unassisted breathing
50	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name

Data Set Name: weaning.sas7bdat

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	7	BREATH2H	Num	8	32	BEST12.	BEST32.	Did patient tolerate a trial of spontane
2	4	COPYID	Num	8	8	BEST12.	BEST32.	Copy ID for multi-copy forms
3	6	CPAP5	Num	8	24	BEST12.	BEST32.	If yes, did patient pass 5 min CPAP tria
4	15	ECMO	Char	1	104			ECMO
5	11	EXPTX	Num	8	64	BEST12.	BEST32.	Experimental therapies:
6	17	HFVHFO	Char	1	106			HFV or HFO
7	19	INPGEPGI	Char	1	108			Inhaled PGI or PGE
8	16	IVOX	Char	1	105			IVOX
9	20	IVPGEPGI	Char	1	109			Intravenous PGI or PGE
10	9	METHYL	Num	8	48	BEST12.	BEST32.	IV or PO Corticosteroids given this cale
11	10	METHYLMG	Num	8	56	BEST12.	BEST32.	If yes, total daily dose
12	12	NITRIC	Char	1	101			Nitric Oxide
13	14	PARTLV	Char	1	103			Partial Liquid Vent
14	18	PRONE	Char	1	107			Prone Positioning
15	1	PROTOCOL	Char	9	72	\$9.	\$9.	Protocol [Study] name
16	2	PTID	Char	20	81			Subject Number
17	13	SURF	Char	1	102			Surfactant
18	8	UAB48	Num	8	40	BEST12.	BEST32.	Did patient complete 48 hours of unassis
19	3	VISIT	Num	8	0	BEST12.	BEST32.	Visit name
20	5	WEANEVAL	Num	8	16	BEST12.	BEST32.	Did patient meet weaning evaluation crit